

SECTION 1: Identification

1.1. Identification

Product form : Mixture
Product name : OIL, BAY RUM PF*
CAS-No. : N/A
Product code : 90-3026-72

1.2. Recommended use and restrictions on use

No additional information available

1.3. Supplier

Bulk Apothecary
115 Lena Drive
Aurora, OH 44202 - United States
1-888-728-7612
documents@bulkapothecary.com - www.bulkapothecary.com

1.4. Emergency telephone number

Emergency number

Domestic: 1-800-633-8253
International: 1-801-629-0667

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Flammable liquids Category 4	Combustible liquid
Skin corrosion/irritation Category 2	Causes skin irritation
Serious eye damage/eye irritation Category 2	Causes serious eye irritation
Skin sensitization, Category 1	May cause an allergic skin reaction
Germ cell mutagenicity Category 2	Suspected of causing genetic defects
Carcinogenicity Category 2	Suspected of causing cancer
Reproductive toxicity Category 2	Suspected of damaging fertility or the unborn child
Aspiration hazard Category 1	May be fatal if swallowed and enters airways

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)



Signal word (GHS US)

: Danger

Hazard statements (GHS US)

: Combustible liquid
May be fatal if swallowed and enters airways
Causes skin irritation
May cause an allergic skin reaction
Causes serious eye irritation
Suspected of causing genetic defects
Suspected of causing cancer
Suspected of damaging fertility or the unborn child

Precautionary statements (GHS US)

: Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Avoid breathing dust/fume/gas/mist/vapors/spray.
Wash hands, forearms and face thoroughly after handling.
Contaminated work clothing must not be allowed out of the workplace.
Wear protective gloves/protective clothing/eye protection/face protection.
If swallowed: Immediately call a poison center or doctor.
If on skin: Wash with plenty of water.

OIL, BAY RUM PF*

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If exposed or concerned: Get medical advice/attention.
Specific treatment (see supplemental first aid instruction on this label).
Do NOT induce vomiting.
If skin irritation occurs: Get medical advice/attention.
If skin irritation or rash occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
Take off contaminated clothing and wash it before reuse.
Wash contaminated clothing before reuse.
In case of fire: Use media other than water to extinguish.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
LINALOOL	(CAS-No.) 78-70-6	10 – 25	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1B, H317
LINALYL ACETATE	(CAS-No.) 115-95-7	5 – 10	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2B, H320 Skin Sens. 1B, H317
ACETYL CEDRENE	(CAS-No.) 32388-55-9	5 – 10	Skin Sens. 1B, H317
PATCHOULI OIL	(CAS-No.) 8014-09-3	5 – 10	Asp. Tox. 1, H304
LEMON OIL TERPENES	(CAS-No.) 68917-33-9	1 – 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Repr. 2, H361 Asp. Tox. 1, H304
COUMARIN	(CAS-No.) 91-64-5	1 – 5	Acute Tox. 4 (Oral), H302 Skin Sens. 1B, H317
α -Terpineol	(CAS-No.) 98-55-5	1 – 5	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319
3 and 4-(4-Hydroxy-4-methylpentyl)-3-cyclohexene-1-carboxaldehyde	(CAS-No.) 31906-04-4	1 – 5	Skin Sens. 1A, H317
PIPERONAL	(CAS-No.) 120-57-0	1 – 5	Skin Sens. 1B, H317
ESTRAGOLE	(CAS-No.) 140-67-0	1 – 5	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317 Muta. 2, H341 Carc. 2, H351 STOT SE 3, H335
ORANGE TERPENES	(CAS-No.) 68647-72-3	1 – 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304
GERANIOL	(CAS-No.) 106-24-1	1 – 5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
EUGENOL	(CAS-No.) 97-53-0	1 – 5	Eye Irrit. 2A, H319 Skin Sens. 1B, H317
BENZYL SALICYLATE	(CAS-No.) 118-58-1	0.1 – 1	Eye Irrit. 2B, H320 Skin Sens. 1, H317

OIL, BAY RUM PF*

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

- | | |
|---------------------------------------|--|
| First-aid measures general | : Call a physician immediately. |
| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. |
| First-aid measures after skin contact | : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention. |
| First-aid measures after eye contact | : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. |
| First-aid measures after ingestion | : Do not induce vomiting. Call a physician immediately. |

4.2. Most important symptoms and effects (acute and delayed)

- | | |
|-------------------------------------|--|
| Symptoms/effects after skin contact | : Irritation. May cause an allergic skin reaction. |
| Symptoms/effects after eye contact | : Eye irritation. |
| Symptoms/effects after ingestion | : Risk of lung edema. |

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

- | | |
|------------------------------|--|
| Suitable extinguishing media | : Water spray. Dry powder. Foam. Carbon dioxide. |
|------------------------------|--|

5.2. Specific hazards arising from the chemical

- | | |
|-------------|--|
| Fire hazard | : Combustible liquid. |
| Reactivity | : The product is non-reactive under normal conditions of use, storage and transport. |

5.3. Special protective equipment and precautions for fire-fighters

- | | |
|--------------------------------|--|
| Protection during firefighting | : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. |
|--------------------------------|--|

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

- | | |
|----------------------|--|
| Emergency procedures | : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. |
|----------------------|--|

6.1.2. For emergency responders

- | | |
|----------------------|---|
| Protective equipment | : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". |
|----------------------|---|

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

- | | |
|-------------------------|---|
| Methods for cleaning up | : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters. |
| Other information | : Dispose of materials or solid residues at an authorized site. |

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- | | |
|-------------------------------|--|
| Precautions for safe handling | : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. |
| Hygiene measures | : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. |

OIL, BAY RUM PF*

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool. Store locked up.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

OIL, BAY RUM PF* (N/A)
No additional information available
COUMARIN (91-64-5)
No additional information available
α-Terpineol (98-55-5)
No additional information available
BENZYL SALICYLATE (118-58-1)
No additional information available
GERANIOL (106-24-1)
No additional information available
LINALOOL (78-70-6)
No additional information available
LINALYL ACETATE (115-95-7)
No additional information available
3 and 4-(4-Hydroxy-4-methylpentyl)-3-cyclohexene-1-carboxaldehyde (31906-04-4)
No additional information available
ESTRAGOLE (140-67-0)
No additional information available
ORANGE TERPENES (68647-72-3)
No additional information available
ACETYL CEDRENE (32388-55-9)
No additional information available
EUGENOL (97-53-0)
No additional information available
PIPERONAL (120-57-0)
No additional information available
PATCHOULI OIL (8014-09-3)
No additional information available
LEMON OIL TERPENES (68917-33-9)
No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.
Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Wear respiratory protection.

OIL, BAY RUM PF*

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
	: LIGHT AMBER TO AMBER
Odor	: CHARACTERISTIC, MATCHING RETAINER SAMPLE
Odor threshold	: No data available
pH	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 83 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: 0.929 (0.919 – 0.939)
Solubility	: Insoluble.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

Refractive index	: 1.483 (1.473 – 1.493)
------------------	-------------------------

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	: Not classified
----------------	------------------

OIL, BAY RUM PF*

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

COUMARIN CRYSTALS (91-64-5)	
ATE US (oral)	500 mg/kg body weight
TERPINEOL ALPHA (98-55-5)	
ATE US (oral)	4300 mg/kg body weight
BENZYL SALICYLATE (118-58-1)	
LD50 oral rat	2227 mg/kg (Rat)
LD50 dermal rabbit	14150 mg/kg (Rabbit)
ATE US (oral)	2200 mg/kg body weight
ATE US (dermal)	14150 mg/kg body weight
GERANIOL 90 (106-24-1)	
LD50 oral rat	3600 mg/kg body weight (Rat; Experimental value)
LD50 dermal rabbit	> 5000 mg/kg body weight (Rabbit; Experimental value)
ATE US (oral)	3600 mg/kg body weight
LINALOOL 90 (78-70-6)	
LD50 oral rat	2790 mg/kg (Rat)
LD50 dermal rat	5610 mg/kg (Rat)
LD50 dermal rabbit	> 5000 mg/kg (Rabbit)
ATE US (oral)	2790 mg/kg body weight
ATE US (dermal)	5610 mg/kg body weight
LINALYL ACETATE SPECIAL (115-95-7)	
LD50 oral rat	> 9000 mg/kg body weight (BASF test, Rat, Male / female, Experimental value, Oral, 7 day(s))
LD50 dermal rabbit	> 5000 mg/kg body weight (Rabbit, Experimental value, Dermal, 14 day(s))
METHYL CHAVICOL (ESTRAGOLE) (140-67-0)	
LD50 oral rat	1820 mg/kg (Rat, Oral)
ATE US (oral)	1230 mg/kg body weight
ORANGE TERPENES (68647-72-3)	
LD50 oral rat	> 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Read-across, Oral)
LD50 dermal rabbit	> 5000 mg/kg body weight (Equivalent or similar to OECD 402, Rabbit, Weight of evidence, Dermal)
VERTOFIX (ACETYL CEDRENE) (32388-55-9)	
ATE US (oral)	4500 mg/kg body weight
EUGENOL, NATURAL (97-53-0)	
LD50 oral rat	> 2000 mg/kg body weight (Equivalent or similar to OECD 423, Rat, Male / female, Experimental value, Oral)
LC50 Inhalation - Rat	> 2.6 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, Inhalation (aerosol))
ATE US (oral)	2500 mg/kg body weight
HELIOTROPINE CRYSTALS (120-57-0)	
ATE US (oral)	2700 mg/kg body weight

Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Suspected of causing genetic defects.
Carcinogenicity	: Suspected of causing cancer.

COUMARIN CRYSTALS (91-64-5)	
IARC group	3 - Not classifiable

ORANGE TERPENES (68647-72-3)	
IARC group	3 - Not classifiable

OIL, BAY RUM PF*

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

EUGENOL, NATURAL (97-53-0)	
IARC group	3 - Not classifiable

Reproductive toxicity : Suspected of damaging fertility or the unborn child.
 STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : May be fatal if swallowed and enters airways.
 Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.
 Symptoms/effects after eye contact : Eye irritation.
 Symptoms/effects after ingestion : Risk of lung edema.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

GERANIOL 90 (106-24-1)	
LC50 fish 1	> 9.8 mg/l (LC50; 96 h)

LINALOOL 90 (78-70-6)	
EC50 Daphnia 1	59 mg/l (EC50; OECD 202: Daphnia sp. Acute Immobilisation Test; 48 h; Daphnia magna)
EC50 other aquatic organisms 1	≥ 100 mg/l (3 h; Activated sludge)
LC50 fish 2	27.8 mg/l (LC50; OECD 203: Fish, Acute Toxicity Test; 96 h; Salmo gairdneri)
Threshold limit algae 1	88.3 mg/l (EC50; 96 h)

LINALYL ACETATE SPECIAL (115-95-7)	
LC50 fish 1	11 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Cyprinus carpio, Flow-through system, Fresh water, Experimental value, GLP)
EC50 Daphnia 1	59 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)
ErC50 (algae)	156.7 mg/l (DIN 38412-9, 96 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration)

ORANGE TERPENES (68647-72-3)	
LC50 fish 1	720 µg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, Lethal)
EC50 Daphnia 1	0.36 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
ErC50 (algae)	0.32 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)

VERTOFIX (ACETYL CEDRENE) (32388-55-9)	
LC50 fish 1	3 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Static system, Experimental value, GLP)
EC50 Daphnia 1	0.86 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Experimental value, GLP)
ErC50 (algae)	> 4.3 mg/l (OECD 201: Alga, Growth Inhibition Test, 96 h, Pseudokirchneriella subcapitata, Static system, Experimental value, GLP)

EUGENOL, NATURAL (97-53-0)	
LC50 fish 1	13 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP)
EC50 Daphnia 1	1.13 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)

OIL, BAY RUM PF*

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

EUGENOL, NATURAL (97-53-0)	
ErC50 (algae)	24 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, GLP)

12.2. Persistence and degradability

BENZYL SALICYLATE (118-58-1)	
Persistence and degradability	Biodegradability in water: no data available.
GERANIOL 90 (106-24-1)	
Persistence and degradability	Readily biodegradable in water.
ThOD	2.9 g O ₂ /g substance
LINALOOL 90 (78-70-6)	
Persistence and degradability	Readily biodegradable in water.
Biochemical oxygen demand (BOD)	1.531 g O ₂ /g substance
Chemical oxygen demand (COD)	2.808 g O ₂ /g substance
LINALYL ACETATE SPECIAL (115-95-7)	
Persistence and degradability	Readily biodegradable in water.
METHYL CHAVICOL (ESTRAGOLE) (140-67-0)	
Persistence and degradability	Biodegradability in soil: no data available.
ORANGE TERPENES (68647-72-3)	
Persistence and degradability	Readily biodegradable in water.
ThOD	3.29 g O ₂ /g substance
VERTOFIX (ACETYL CEDRENE) (32388-55-9)	
Persistence and degradability	Not readily biodegradable in water.
EUGENOL, NATURAL (97-53-0)	
Persistence and degradability	Readily biodegradable in water.
HELIOTROPINE CRYSTALS (120-57-0)	
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.
ThOD	1.71 g O ₂ /g substance

12.3. Bioaccumulative potential

BENZYL SALICYLATE (118-58-1)	
Partition coefficient n-octanol/water (Log Pow)	4.31 (Estimated value)
GERANIOL 90 (106-24-1)	
Bioaccumulative potential	No bioaccumulation data available.
LINALOOL 90 (78-70-6)	
Partition coefficient n-octanol/water (Log Pow)	2.84 – 3.145
Bioaccumulative potential	Bioaccumable.
LINALYL ACETATE SPECIAL (115-95-7)	
BCF fish 1	173.9 l/kg (BCFBAF v3.00, Calculated value, Fresh weight)
Partition coefficient n-octanol/water (Log Pow)	3.9 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
METHYL CHAVICOL (ESTRAGOLE) (140-67-0)	
Bioaccumulative potential	No bioaccumulation data available.
ORANGE TERPENES (68647-72-3)	
BCF fish 1	864.8 – 1022 (Pisces, QSAR, Fresh weight)
Partition coefficient n-octanol/water (Log Pow)	4.38 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 37 °C)
Bioaccumulative potential	Potential for bioaccumulation (4 ≥ Log Kow ≤ 5).

OIL, BAY RUM PF*

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

VERTOFIX (ACETYL CEDRENE) (32388-55-9)	
BCF fish 1	867 – 3920 (OECD 305: Bioconcentration: Flow-Through Fish Test, 28 day(s), Oncorhynchus mykiss, Flow-through system, Fresh water, Experimental value, GLP)
Partition coefficient n-octanol/water (Log Pow)	5.6 – 5.9 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method)
Bioaccumulative potential	Potential for bioaccumulation ($500 \leq \text{BCF} \leq 5000$).
EUGENOL, NATURAL (97-53-0)	
Partition coefficient n-octanol/water (Log Pow)	1.83 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 30 °C)
Bioaccumulative potential	Low potential for bioaccumulation ($\text{Log Kow} < 4$).
HELIOTROPINE CRYSTALS (120-57-0)	
Partition coefficient n-octanol/water (Log Pow)	1.05
Bioaccumulative potential	Low potential for bioaccumulation ($\text{Log Kow} < 4$).

12.4. Mobility in soil

LINALYL ACETATE SPECIAL (115-95-7)	
Partition coefficient n-octanol/water (Log Koc)	2.71 (log Koc, PCKOCWIN v1.66, Calculated value)
Ecology - soil	Low potential for adsorption in soil.
ORANGE TERPENES (68647-72-3)	
Ecology - soil	Adsorbs into the soil.
VERTOFIX (ACETYL CEDRENE) (32388-55-9)	
Partition coefficient n-octanol/water (Log Koc)	3.5 – 5.1 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP)
Ecology - soil	Low potential for mobility in soil.
EUGENOL, NATURAL (97-53-0)	
Ecology - soil	No (test)data on mobility of the substance available.

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not regulated

Transportation of Dangerous Goods

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

COUMARIN CRYSTALS (91-64-5)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	

OIL, BAY RUM PF*

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

TERPINEOL ALPHA (98-55-5)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
BENZYL SALICYLATE (118-58-1)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
GERANIOL 90 (106-24-1)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
LINALOOL 90 (78-70-6)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
LINALYL ACETATE SPECIAL (115-95-7)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
LYRAL SG (31906-04-4)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
METHYL CHAVICOL (ESTRAGOLE) (140-67-0)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
ORANGE TERPENES (68647-72-3)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
VERTOFIX (ACETYL CEDRENE) (32388-55-9)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
EUGENOL, NATURAL (97-53-0)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
HELIOTROPINE CRYSTALS (120-57-0)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
PATCHOULI INDONESIAN OIL (8014-09-3)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
LEMON TERPENES (68917-33-9)
Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

COUMARIN CRYSTALS (91-64-5)
Listed on the Canadian DSL (Domestic Substances List)
TERPINEOL ALPHA (98-55-5)
Listed on the Canadian DSL (Domestic Substances List)
BENZYL SALICYLATE (118-58-1)
Listed on the Canadian DSL (Domestic Substances List)
GERANIOL 90 (106-24-1)
Listed on the Canadian DSL (Domestic Substances List)
LINALOOL 90 (78-70-6)
Listed on the Canadian DSL (Domestic Substances List)
LINALYL ACETATE SPECIAL (115-95-7)
Listed on the Canadian DSL (Domestic Substances List)
LYRAL SG (31906-04-4)
Listed on the Canadian DSL (Domestic Substances List)
METHYL CHAVICOL (ESTRAGOLE) (140-67-0)
Listed on the Canadian DSL (Domestic Substances List)

OIL, BAY RUM PF*

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ORANGE TERPENES (68647-72-3)

Listed on the Canadian DSL (Domestic Substances List)

VERTOFIX (ACETYL CEDRENE) (32388-55-9)

Listed on the Canadian DSL (Domestic Substances List)

EUGENOL, NATURAL (97-53-0)

Listed on the Canadian DSL (Domestic Substances List)

HELIOTROPINE CRYSTALS (120-57-0)

Listed on the Canadian DSL (Domestic Substances List)

PATCHOULI INDONESIAN OIL (8014-09-3)

Listed on the Canadian DSL (Domestic Substances List)

LEMON TERPENES (68917-33-9)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

This product can expose you to estragole, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.



WARNING:

This product can expose you to myrcene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

This product can expose you to styrene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

SECTION 16: Other information

Revision date

: 11/11/2020

OIL, BAY RUM PF*

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases:

H226	Flammable liquid and vapor
H227	Combustible liquid
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H320	Causes eye irritation
H335	May cause respiratory irritation
H341	Suspected of causing genetic defects
H351	Suspected of causing cancer
H361	Suspected of damaging fertility or the unborn child

SDS US (GHS HazCom 2012) - Bulk Apothecary

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.